PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

M/s M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

17, WESTON STREET
KOLKATA West Bengal
INDIA-700013

Subject : Revalidation with EIL

Dear Sir/Madam

We refer to your application on subject matter and are pleased to inform that your enlistment has been revalidated with EIL for the items as described below:

List of Items	
S.No.	**Item Description**
1	FLANGE- CARBON STEEL
2	FLANGE-ALLOY STEEL
3	FITTING BLOCK FORGED-CARBON STEEL
4	FITTING BLOCK FORGED-ALLOY STEEL
5	FITTING BLOCK FORGED-STAINLESS STEEL
6	O-LETS
7	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL
8	FITTINGS FROM SEAMLESS PIPE- S.S.
9	FIITINGS CROSS-FROM SEAMLESS PIPES
10	FITTINGS TO IS-1239
11	FITTINGS PIPE CAP (C S)

For detailed capability of supplier, kindly refer Annexure attached with this letter.

(This enlistment is valid for your works located at RAMPUR POST BOX.GOBINDPUR, BUDGEBUDGE, TRUNK ROAD, 24-PARGANAS (SOUTH), KOLKATA, West Bengal, INDIA-700141)

The validity of this ENLISTMENT is up to 30/Apr/2029.

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

Celebrating 60 YEARS of Nation Building (Since 1965)
YEAR OF SUSTAINABLE GROWTH
फोन / Phone : +91-11-26762121 (EPABX) CIN : L74899DL1965GOI004352
उत्कृष्टता का आधार - हमारे कर्मी Delivering Excellence through People
Website : www.engineersindia.com

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Kindly note enlistment with EIL does not guarantee any regular flow of enquiries. For information on enquiries issued by EIL, kindly refer our Tender Website (https://tenders.eil.co.in/) / CPP portal (https://eprocure.gov.in/cppp/). In the event of direct / indirect orders for the projects executed by EIL, supplier shall quote / submit offer and supply material strictly as per the material / range / works as stated above including agreed responsibility matrix, as applicable. Secondly, kindly keep on submitting your regular quotes for EIL RFQ's failing which, EIL shall be entitled to declare you as Dormant supplier as per the Terms and Conditions for enlistment.

Any change in the product range, location of Works/Sales Office, Management/ Organization structure etc., shall be intimated to us immediately along with relevant document for our necessary action. Further, kindly update your contact details on regular basis so that you may keep on receiving EIL communications. Also, kindly ensure submission of your Audited Annual Report on yearly basis to enable us update your latest financial data.

Please note that this enlistment is subject to satisfactory execution of orders in delivery and quality of above items when ordered for various projects of EIL/our clients. You are expected to adopt ethics of highest standard and a very high degree of integrity, commitment & sincerity towards the work undertaken for projects under EIL execution, failing which, EIL shall be entitled to initiate actions as specified in EIL procedure for Suspension/Banning of business dealings, displayed on EIL website.

You are advised to apply for revalidation 'on-line', 6 months before expiry of the enlistment. Detailed procedures for revalidation can be seen on our website https://enlist.eil.co.in/osems/.
Kindly acknowledge unconditional acceptance of this letter and send us a signed and stamped copy of this letter for our records.

Legends for capability range:

- From "0" to "0" & "NA" implies "Not Approved" - From "1" to "1" or From "0" to "9999" or "99999" implies either "Capable for All" or "Refer remarks"

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Thanking you,
Very truly yours,

RAJESH SINHA

Digitally signed by RAJESH SINHA
DN: c=IN, o=ENGINEERS INDIA LIMITED, ou=Admin, 2.5.4.20=76CC6613C7DBF3F81B26FB73FB4A0227B67C87E3D8BE09321403DEE1B7049B96, postalCode=110066, st=DELHI, serialNumber=4244A4105C00B82723A9DBF82D7D77B4062E3D64D5C15F6F246643E052EEB3B6, cn=RAJESH SINHA
Date: 2026.10.09 17:22:39 +05'30'

RAJESH SINHA
GROUP GENERAL MANAGER & HOD (PDD)

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 55AA - FLANGE- CARBON STEEL

Group	Parameter Description	From	To	Remarks
1	Flange Size(INCH)	0.5	8	
1	Flange Rating(LBS)	150	600	
1	Flange Material	CS		
1	Flange Type (Forge/Plate)	FORGE		

Item : 55AB - FLANGE-ALLOY STEEL

Group	Parameter Description	From	To	Remarks
1	Flange Size(INCH)	0.5	6	
1	Flange Rating(LBS)	150	300	
1	Flange Material	Gr.11,22,5,9		
1	Flange Type (Forge/Plate)	FORGE		

Item : 71AA - FITTING BLOCK FORGED-CARBON STEEL

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	0.124	1.5	
1	Fitting Rating(LBS)	2000	9000	
1	Fitting Material	CS		
1	Fitting Type (Forge/Seamless/Fabricated)	FORGE		
2	Fitting Size(INCH)	2	4	
2	Fitting Rating(LBS)	3000	6000	
2	Fitting Material	CS		
2	Fitting Type (Forge/Seamless/Fabricated)	FORGE		

Item : 71AB - FITTING BLOCK FORGED-ALLOY STEEL

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	0.124	4	
1	Fitting Rating(LBS)	3000	6000	
1	Fitting Material	Gr.11,22,5,9		
1	Fitting Type (Forge/Seamless/Fabricated)	FORGE		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 71AC - FITTING BLOCK FORGED-STAINLESS STEEL

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	0.124	1.5	
1	Fitting Rating(LBS)	2000	9000	
1	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
1	Fitting Type (Forge/Seamless/Fabricated)	FORGE		
2	Fitting Size(INCH)	2	4	
2	Fitting Rating(LBS)	3000	6000	
2	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
2	Fitting Type (Forge/Seamless/Fabricated)	FORGE		

Item : 71AD - O-LETS

Group	Parameter Description	From	To	Remarks
1	Nippolet	NA		
1	Sockolet	Refer remarks		Material: CS; For Sociolect: -Branch size: 0.5- 2" Proof test conducted on (Branch x Run Pipe) 1" 3000 classX4" Sch 80 ; Threadolet- 0.5-2" Proof test conducted on 1" 3000 class X4" Sch 80, Other Param.viz. Thk,Run/Branch ratio, Qualification range to be cal. as per MSS SP 97
1	Weldolet	Refer remarks		Material: CS; Branch size: 0.5 - 12" ,Proof test conducted on (Branch x Run Pipe) 1"Sch 80 X4" Sch 80 and 6"Sch 80 X12" Sch 80 Other Param.viz. Thk,Run/Branch ratio, Qualification range to be cal. as per MSS SP 97
1	ELBOWLET	NA		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 72AA - FITTINGS FROM SEAMLESS PIPE-CARBON STEEL

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	2	6	
1	Fitting Material	CS		
1	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
1	Fitting Schedule	0	XXS	
1	Fitting Thickness(MM)	0	21.95	
1	Fitting Description	ELBOW-LR		
2	Fitting Size(INCH)	8	8	
2	Fitting Material	CS		
2	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
2	Fitting Schedule	0	160	
2	Fitting Thickness(MM)	0	23.01	
2	Fitting Description	ELBOW-LR		
3	Fitting Size(INCH)	10	12	
3	Fitting Material	CS		
3	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
3	Fitting Schedule	0	140	
3	Fitting Thickness(MM)	0	28.58	
3	Fitting Description	ELBOW-LR		
4	Fitting Size(INCH)	2	6	
4	Fitting Material	CS		
4	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
4	Fitting Schedule	0	XXS	
4	Fitting Thickness(MM)	0	21.95	
4	Fitting Description	ELBOW-SR		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 72AA - FITTINGS FROM SEAMLESS PIPE-CARBON STEEL

Group	Parameter Description	From	To	Remarks
5	Fitting Size(INCH)	8	8	
5	Fitting Material	CS		
5	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
5	Fitting Schedule	0	160	
5	Fitting Thickness(MM)	0	23.01	
5	Fitting Description	ELBOW-SR		
6	Fitting Size(INCH)	10	12	
6	Fitting Material	CS		
6	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
6	Fitting Schedule	0	140	
6	Fitting Thickness(MM)	0	28.58	
6	Fitting Description	ELBOW-SR		
7	Fitting Size(INCH)	2	6	
7	Fitting Material	CS		
7	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
7	Fitting Schedule	0	XXS	
7	Fitting Thickness(MM)	0	21.95	
7	Fitting Description	REDUCER-CONC		
8	Fitting Size(INCH)	8	8	
8	Fitting Material	CS		
8	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
8	Fitting Schedule	0	160	
8	Fitting Thickness(MM)	0	23.01	
8	Fitting Description	REDUCER-CONC		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 72AA - FITTINGS FROM SEAMLESS PIPE-CARBON STEEL

Group	Parameter Description	From	To	Remarks
9	Fitting Size(INCH)	10	20	
9	Fitting Material	CS		
9	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
9	Fitting Schedule	0	140	
9	Fitting Thickness(MM)	0	44.45	
9	Fitting Description	REDUCER-CONC		
10	Fitting Size(INCH)	2	4	
10	Fitting Material	CS		
10	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
10	Fitting Schedule	0	160	
10	Fitting Thickness(MM)	0	13.49	
10	Fitting Description	REDUCER-ECC		
11	Fitting Size(INCH)	6	6	
11	Fitting Material	CS		
11	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
11	Fitting Schedule	0	XXS	
11	Fitting Thickness(MM)	0	21.95	
11	Fitting Description	REDUCER-ECC		
12	Fitting Size(INCH)	8	8	
12	Fitting Material	CS		
12	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
12	Fitting Schedule	0	160	
12	Fitting Thickness(MM)	0	23.01	
12	Fitting Description	REDUCER-ECC		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 72AA - FITTINGS FROM SEAMLESS PIPE-CARBON STEEL

Group	Parameter Description	From	To	Remarks
13	Fitting Size(INCH)	10	20	
13	Fitting Material	CS		
13	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
13	Fitting Schedule	0	140	
13	Fitting Thickness(MM)	0	44.45	
13	Fitting Description	REDUCER-ECC		
14	Fitting Size(INCH)	2	2	
14	Fitting Material	CS		
14	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
14	Fitting Schedule	0	XXS	
14	Fitting Thickness(MM)	0	11.07	
14	Fitting Description	RETURN BEND		
15	Fitting Size(INCH)	3	3	
15	Fitting Material	CS		
15	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
15	Fitting Schedule	0	160	
15	Fitting Thickness(MM)	0	11.13	
15	Fitting Description	RETURN BEND		
16	Fitting Size(INCH)	4	8	
16	Fitting Material	CS		
16	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
16	Fitting Schedule	0	XXS	
16	Fitting Thickness(MM)	0	22.23	
16	Fitting Description	RETURN BEND		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 72AA - FITTINGS FROM SEAMLESS PIPE-CARBON STEEL

Group	Parameter Description	From	To	Remarks
17	Fitting Size(INCH)	2	6	
17	Fitting Material	CS		
17	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
17	Fitting Schedule	0	XXS	
17	Fitting Thickness(MM)	0	21.95	
17	Fitting Description	TEE		
18	Fitting Size(INCH)	8	8	
18	Fitting Material	CS		
18	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
18	Fitting Schedule	0	160	
18	Fitting Thickness(MM)	0	23.01	
18	Fitting Description	TEE		
19	Fitting Size(INCH)	10	14	
19	Fitting Material	CS		
19	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
19	Fitting Schedule	0	160	
19	Fitting Thickness(MM)	0	35.71	
19	Fitting Description	TEE		
20	Fitting Size(INCH)	0	0	
20	Fitting Material	CS		
20	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
20	Fitting Schedule	0	0	
20	Fitting Thickness(MM)	0	0	
20	Fitting Description	STUB END		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 72AA - FITTINGS FROM SEAMLESS PIPE-CARBON STEEL

Group	Parameter Description	From	To	Remarks
21	Fitting Size(INCH)	0	6	
21	Fitting Material	CS		
21	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
21	Fitting Schedule	0	XXS	
21	Fitting Thickness(MM)	0	21.95	
21	Fitting Description	NIPPLE		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 72AC - FITTINGS FROM SEAMLESS PIPE- S.S.

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	2	6	
1	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
1	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
1	Fitting Schedule	0	XXS	
1	Fitting Thickness(MM)	0	21.95	
1	Fitting Description	ELBOW-LR		
2	Fitting Size(INCH)	8	8	
2	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
2	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
2	Fitting Schedule	0	160	
2	Fitting Thickness(MM)	0	23.01	
2	Fitting Description	ELBOW-LR		
3	Fitting Size(INCH)	2	6	
3	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
3	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
3	Fitting Schedule	0	XXS	
3	Fitting Thickness(MM)	0	21.95	
3	Fitting Description	ELBOW-SR		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 72AC - FITTINGS FROM SEAMLESS PIPE- S.S.

Group	Parameter Description	From	To	Remarks
4	Fitting Size(INCH)	8	8	
4	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
4	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
4	Fitting Schedule	0	160	
4	Fitting Thickness(MM)	0	23.01	
4	Fitting Description	ELBOW-SR		
5	Fitting Size(INCH)	2	6	
5	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
5	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
5	Fitting Schedule	0	XXS	
5	Fitting Thickness(MM)	0	21.95	
5	Fitting Description	REDUCER-CON C		
6	Fitting Size(INCH)	8	8	
6	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
6	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
6	Fitting Schedule	0	160	
6	Fitting Thickness(MM)	0	23.01	
6	Fitting Description	REDUCER-CON C		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 72AC - FITTINGS FROM SEAMLESS PIPE- S.S.

Group	Parameter Description	From	To	Remarks
7	Fitting Size(INCH)	2	4	
7	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
7	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
7	Fitting Schedule	0	160	
7	Fitting Thickness(MM)	0	13.49	
7	Fitting Description	REDUCER-ECC		
8	Fitting Size(INCH)	6	6	
8	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
8	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
8	Fitting Schedule	0	XXS	
8	Fitting Thickness(MM)	0	21.95	
8	Fitting Description	REDUCER-ECC		
9	Fitting Size(INCH)	8	8	
9	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
9	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
9	Fitting Schedule	0	160	
9	Fitting Thickness(MM)	0	23.01	
9	Fitting Description	REDUCER-ECC		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 72AC - FITTINGS FROM SEAMLESS PIPE- S.S.

Group	Parameter Description	From	To	Remarks
10	Fitting Size(INCH)	0	0	
10	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
10	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
10	Fitting Schedule	0	0	
10	Fitting Thickness(MM)	0	0	
10	Fitting Description	RETURN BEND		
11	Fitting Size(INCH)	2	6	
11	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
11	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
11	Fitting Schedule	0	XXS	
11	Fitting Thickness(MM)	0	21.95	
11	Fitting Description	TEE		
12	Fitting Size(INCH)	8	8	
12	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
12	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
12	Fitting Schedule	0	160	
12	Fitting Thickness(MM)	0	23.01	
12	Fitting Description	TEE		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 72AC - FITTINGS FROM SEAMLESS PIPE- S.S.

Group	Parameter Description	From	To	Remarks
13	Fitting Size(INCH)	0	8	
13	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
13	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
13	Fitting Schedule	0	160	
13	Fitting Thickness(MM)	0	23.01	
13	Fitting Description	STUB END		
14	Fitting Size(INCH)	0	6	
14	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
14	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
14	Fitting Schedule	0	XXS	
14	Fitting Thickness(MM)	0	21.95	
14	Fitting Description	NIPPLE		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 72AF - FIITINGS CROSS-FROM SEAMLESS PIPES

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	2	3	
1	Fitting Material	CS		
1	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
1	Fitting Schedule	0	160	
1	Fitting Thickness(MM)	0	11.13	
1	Fitting Description	CROSS		
2	Fitting Size(INCH)	4	8	
2	Fitting Material	CS		
2	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
2	Fitting Schedule	0	XXS	
2	Fitting Thickness(MM)	0	22.23	
2	Fitting Description	CROSS		
3	Fitting Size(INCH)	2	3	
3	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
3	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
3	Fitting Schedule	0	160	
3	Fitting Thickness(MM)	0	11.13	
3	Fitting Description	CROSS		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 72AF - FIITINGS CROSS-FROM SEAMLESS PIPES

Group	Parameter Description	From	To	Remarks
4	Fitting Size(INCH)	4	8	
4	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
4	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
4	Fitting Schedule	0	XXS	
4	Fitting Thickness(MM)	0	22.23	
4	Fitting Description	CROSS		

Item : 73E- - FITTINGS TO IS-1239

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	0.5	6	
1	Fitting Material	IS1239		
1	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS/WELDED		
1	Fitting Thickness(MM)	0	5.4	
1	Fitting Description	ALL		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/RE/2026-2027/M057/1 **Date :** 08/Oct/2026

Annexure - Capability of Supplier

Supplier : M057 - M.S. FITTINGS MANUFACTURING COMPANY PRIVATE LIMITED

Item : 75AA - FITTINGS PIPE CAP (C S)

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	0.5	2	
1	Fitting Material	CS		
1	Fitting Type (Forge/Seamless/Fabricated)	ALL		
1	Fitting Schedule	0	XXS	
1	Fitting Thickness(MM)	0	11.07	
1	Fitting Description	CAP		
2	Fitting Size(INCH)	2.5	3	
2	Fitting Material	CS		
2	Fitting Type (Forge/Seamless/Fabricated)	ALL		
2	Fitting Schedule	0	160	
2	Fitting Thickness(MM)	0	11.13	
2	Fitting Description	CAP		
3	Fitting Size(INCH)	4	8	
3	Fitting Material	CS		
3	Fitting Type (Forge/Seamless/Fabricated)	ALL		
3	Fitting Schedule	0	XXS	
3	Fitting Thickness(MM)	0	22.23	
3	Fitting Description	CAP		
4	Fitting Size(INCH)	10	20	
4	Fitting Material	CS		
4	Fitting Type (Forge/Seamless/Fabricated)	ALL		
4	Fitting Schedule	0	140	
4	Fitting Thickness(MM)	0	44.45	
4	Fitting Description	CAP		

Note : For interpretation of capability range, refer legends (if any) as mentioned in Enlistment Letter.

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.